

210mm

148mm

50mm

49mm

49mm

26.25mm

3209569



EXPERTCARE
Velvet Smooth
Clinically proven
Electronic Foot file
1x Hard Skin removal roller head
1 x EXTRA ROLLER Cracked heel Contour fit roller head

Suitable for wet or dry skin

Using for the first time

1. Remove the base of the unit by pulling the outer battery cover from the handle of the device.
2. Push the tab to open the inner battery cap.
3. Insert 4 new AA batteries in the directions indicated on the unit.
4. Push the inner battery cap down until it clicks closed.
5. Replace the base of the unit by pushing the outer battery cover onto the handle of the device.

Regular usage for feet hard skin removal with 2 in 1 File & Smooth roller head

- Ensure that the roller head is securely inserted on the unit. Do not use without the roller head attached.
- Turn on/off by pressing . Use  to switch to the speed of your choice. Gently glide the roller head over hard skin and continue until you reach the desired level of softness. Do not press too hard, or the unit will stop.
- Turn off and check if you have achieved the softness you desire. If not, turn on and repeat until the level of softness is obtained.

Warning: Do not use in the same area for more than 3-4 seconds at a time. Stop if skin becomes sore or inflamed. Wipe or rinse feet to remove excess dead skin particles.

- You can use this roller head on wet, soaked or dry feet.
- Do not submerge the device in water.
- Retain the outer packaging for future reference.
- Refer to the packaging of your velvet smooth foot file for full usage instructions.

Cleaning after Use

- This device is not waterproof. Turn the unit off before cleaning. Detach and wash the roller head to clean the surface.
- Remove the roller by pressing the eject button on the side of the unit.


1.  and gently pulling the roller away.
2. 

- Rinse the roller head under the tap to clean the surface.
- Clean the body of the unit with a clean damp cloth.
- Dry both the roller head and main unit with a clean dry cloth.
- Replace the roller.

Changing the Roller Head

- Replace the roller head when you find it becomes less effective, or every 3 months. Follow the steps below ensuring that the foot file is turned off. Use only Scholl Velvet Smooth™ or Expert Care™ Roller Heads with this foot care system.
- Remove the roller head by pressing button as pictured.
- Replace the roller head, click into place.





RB Artwork and Print Specification

Trident Reference No:	RB482913
ZEN Ref:	TR2245793
Action:	D
Brand:	Scholl - Mass
Category:	Skin World
Segment Group:	Dry, Rough Skin
Segment:	Hard Skin File Single Refill
Pack Size:	1Pack
Market/Country:	UK
Date:	16/08/21

RBH Contact:	Abbie Tanzell
Artwork Type: BW Commercial	
Component Code (if applicable):	3209565
2nd Component Code (if applicable):	N/A
Parent Technical Packaging Specification:	D8311817
Finished Goods Code:	3209318
Supply Point:	Zobete
3rd Party Code:	N/A
Pharmacode No/NE:	N/A
Edgemark Position:	N/A

CAD Cam Ref:	Sch-LR-D8311817-210x148mm
Printer:	Generic RB
Substrate:	Paper

Technical & Non Printing Items	
	Cutter
	Guides 2 (if applicable)
	Cutter 2 (if applicable)
	Guides 2 (if applicable)

Colours (Leaflet)	
PANTONE 2748 C	Varnish
	
1	2
3TH	4TH

BARCODE INFO

Barcode Type:	N/A
Barcode Number:	N/A
Magnification:	N/A
Truncated By:	N/A
Full Height:	N/A
Bar Height (Smallest Bar):	N/A
BWR:	N/A
Encoded Data:	N/A




Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT.


STUDIO USE ONLY	Praveen Jeyaseelan	v2.0
Sm•Art check results:	G=2; O=0; R=0; - PJ - 16/08/21 17:10:05	

CUSTOMER INFO:
Minimum Point Size = 8.00pt





26.25mm



RB Artwork and Print Specification

Trident Reference No: RB482913
 ZEN Ref: **TR2245793**
 Action: **D**
 Brand: Scholl - Mass
 Category: Skin World
 Segment Group: Dry, Rough Skin
 Segment: Hard Skin File Single Refill
 Pack Size: 1Pack
 Market/Country: UK
 Date: 16/08/21

RBH Contact: Abbie Tanzell

Artwork Type: BW Commercial
 Component Code (if applicable): **3209565**
 2nd Component Code (if applicable): **N/A**
 Parent Technical Packaging Specification: D8311817
 Finished Goods Code: **3209318**
 Supply Point: Zobebe
 3rd Party Code: N/A
 Pharmacode No/NE: N/A
 Edgemark Position: N/A

CAD Cam Ref: Sch-LR-D8311817-210x148mm
 Printer: Generic RB
 Substrate: Paper

Technical & Non Printing Items
 ■ Cutter ■ Cutter 2 (if applicable)
 ■ Guides ■ Guides 2 (if applicable)

Colours (Leaflet)

PANTONE 2748 C	Varnish
1	2
3TH	3TH

BARCODE INFO

Barcode Type: N/A
 Barcode Number: N/A
 Magnification: N/A
 Truncated By: N/A
 Full Height: N/A
 Bar Height (Smallest Bar): N/A
 BWR: N/A
 Encoded Data: N/A



Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT.

STUDIO USE ONLY Praveen Jeyaseelan v2.0
 Sm*Art check results: G=2; O=0; R=0; - PJ - 16/08/21 17:10:05

CUSTOMER INFO:
 Minimum Point Size = 8.00pt



Production line		
Manufacturing site		
Pack Tech approver	1st	2nd
Date		
Check Criteria	Details Et Comments	Checks
Approvals		1st 2nd
Market Approval		
Regulatory Approval		
3rd Party Approval		
Technical Drawing/ Cutter ref no. Et PPI component code		
PPI component code number/s correct on artwork?		
PPI component code number/s in correct position on artwork?		
Correct drawing for the production line?		
Profile shape Et dimensions		
Graphics layout/orientation		
Unwind diagram (PPTD1022/1-20)		
Printable areas/bleed		
Varnish free areas		
Variable coding position Et dimensions		
Varnish and print requirements		
Pre-printed headers (alignment and suitability)		
Embossing, Braille Et Foil Blocking		
Separations on artwork		
Alignment within cutter		
Braille structure		
Verification Code Type; Pharma Code / 2D / OCV		
Bar sequence and/or number correct on artwork		
Bar sequence and/or number in correct position on artwork?		
Size (height, width, spacing, font)		
Direction of read		
Light margins and print free areas		
Colour		
Repeat distance (reeled material)		
Cross check related docs ie BOM		
Bar code Type; EAN, ITF, Code39, etc		
Magnification / width and height		
Colour (e.g. black print on white background)		
Light margins Et indicators		
Bearer bars Et H gauges (if required)		
Symbol grade (Pass = A,B,C; Action = D,F)		
Bar code number (human readable)		
Bar code number (encoded Et hidden data)		
Confirm bar code number from source		
Cross check related docs (JDE/PID)		
Photo-electric cell mark / edge marks		
Present Et per Tech drawing?		
Correct pitch?		
Additional markings		
e-mark, recycle logo etc		
Legend box (RB specification)		
Correct component code		
Correct D spec / has cutter changed?		
Correct printer / has printer changed?		
Correct Substrate		
A/W is set up appropriately for this substrate		
Edge mark details		
Pharmacode details		
Colours Et print process		
Varnish		
Barcode information		
General details are correct		
Pass / Fail comments and Signature		
By approving the artwork referenced within this form I authorise it for release to the print supplier		
Additional Comments		

RB Artwork and Print Specification

Trident Reference No:	RB482913
ZEN Ref:	TR2245793
Action:	D
Brand:	Scholl - Mass
Category:	Skin World
Segment Group:	Dry, Rough Skin
Segment:	Hard Skin File Single Refill
Pack Size:	1Pack
Market/Country:	UK
Date:	16/08/21

RBH Contact: Abbie Tanzell

Artwork Type: BW Commercial	
Component Code (if applicable):	3209565
2nd Component Code (if applicable):	N/A
Parent Technical Packaging Specification:	D8311817
Finished Goods Code:	3209318
Supply Point:	Zobebe
3rd Party Code:	N/A
Pharmacode No/NE:	N/A
Edgemark Position:	N/A

CAD Cam Ref:	Sch-LR-D8311817-210x148mm
Printer:	Generic RB
Substrate:	Paper

Technical & Non Printing Items	
<input type="checkbox"/> Cutter	<input type="checkbox"/> Cutter 2 (if applicable)
<input type="checkbox"/> Guides	<input type="checkbox"/> Guides 2 (if applicable)

Colours (Leaflet)	
<input type="checkbox"/> PANTONE 2748 C	<input type="checkbox"/> Varnish
<input type="checkbox"/> 1	<input type="checkbox"/> 2
<input type="checkbox"/> 1TH	<input type="checkbox"/> 1TH

BARCODE INFO

Barcode Type:	N/A
Barcode Number:	N/A
Magnification:	N/A
Truncated By:	N/A
Full Height:	N/A
Bar Height (Smallest Bar):	N/A
BWR:	N/A
Encoded Data:	N/A



Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT.

STUDIO USE ONLY Praveen Jayaseelan v2.0
Sm*Art check results: G=2; O=0; R=0; - PJ - 16/08/21 17:10:05

