



Oclean W1 Smart Oral Irrigator
User Manual

Oclean W1 Smart Oral Irrigator
kasutusjuhend

Oclean W1 Smart Oral Irrigator
Brugervejledning

Oclean W1 Smart Oral Irrigator
-käyttöopas

Oclean W1 Smart Oral Irrigator
Lietotāja rokasgrāmata

Oclean W1 Smart Oral Irrigator
vartotojo vadovas

Oclean W1 Smart Oral Irrigator
Brukerhåndbok

Oclean W1 Smart Oral Irrigator
Användarmanual

Oclean W1 Smart Oral Irrigator
User Manual

Nozzle
The nozzle can be rotated by 360 degrees. When replacing nozzle, pull it out vertically. Insert the nozzle to bottom until it is closely attached to the device body.

Mode switch button
Short press to switch modes.

Mode indicator light
Level 1 manual burst
Level 2 manual burst
Level 3 automatic burst
(Short press on power button to start automatic burst; Support customization for burst plans in Oclean App)

Water tank
The water tank can be removed by pulling down with a slight force.

Power button/charging indicator light
Press the power button to wake up the device while in stand-by mode, the mode indicator stays in the latest memorized mode. Holding the power button for a continuous burst, release the button to stop.
Red light flashing: Low power reminder;
White light flashing: Charging status;
White light on constantly: Fully charged.


Magnetic charging port
Charging starts after the charger magnetically attached to the charging port.




Instructions



1 Refill the water tank
Pull down the water tank with a little force to detach it. Fill water or mouthwash into the water tank (The liquid temperature should not be over 40 C), then insert the water tank back into the device.



2 Installation of nozzle
1. Fix the silicone cap to the nozzle.
2. Insert the nozzle to the device body.



3 Mode switch
Short press on mode switch, chose the best fit mode, the device will memorize the latest mode.



4 Bursting Instructions
Put the nozzle intermittently close to the slit between teeth. Press and hold the power button to start cleaning. Slowly move along the gum line to the next zone, repeat the cleaning for all slit.

- Product specifications

Product Name	Oclean W1 Smart Oral Irrigator
Model	Oclean W1
Water tank capacity	30 ml
Waterproof level	IPX5
Input Power	2.5 W
Charging	Oclean magnetic charging
Input	5V=0.5A
Battery life*	30 days
Battery capacity	1200 mAh
Charging time	3 hours
Standard	GB 4706.1-2005 GB 4706.59-2008

* Remark: Battery life is calculated based on default mode, working once/day, 1 tank/time.

GET IT ON
Google Play

Download on the
App Store

Oclean

Follow the Oclean Official Facebook Page

Oclean Facebook Page
www.facebook.com/ocleanglobal

CE

FC

PS E

R-R-y1T-Oclean W1

R 210-141998

EAC

IPX5

RoHS

10

Recycling symbol

No incineration symbol



Remarks

○ This indicates that the content of toxic and hazardous substances in all homogeneous materials of this component is less than the limited quantity as specified in GB/T 26572-2011.

✕ This indicates that the content of toxic and hazardous substances in at least one of the homogeneous materials of this component is more than the limited quantity as specified in GB/T 26572-2011.

* Except for very few materials, due to technical development reasons, most of the materials used are environmentally friendly. Please use this product with confidence during the environmental protection period.

Name of parts	Toxic and harmful substance or element						Environment Protection
	Pb	Hg	Cd	Cr6+	PBB	PBDE	
PCBA	○	○	○	○	○	○	10 years
Plastic parts	○	○	○	○	○	○	
Metal hardware	○	○	○	○	○	○	
FPC	○	○	○	○	○	○	
Vibrating motor		○	○	○	○	○	5 years
Accessories		✕	○	○	○	○	
Battery		○	○	○	○	○	



Product model:	Serial Number:	
	Name:	
User Information	Tel:	
	Email:	
	Address:	
	Date of purchase:	
Problem Description:	Invoice number:	

Warranty Card

- These clauses only apply to Oclean products sold in the country or region where the purchase is made, if there is any inconsistency or omission with the national policy, the national policy shall prevail.
- For performance issues caused by the product itself, one may avail service as per below regulations with valid proof of purchase:
2.1 A customer can avail warranty service for free within 24 months from the date of purchase if there is a performance failure caused by the product itself.
- In order to avail replacement and warranty services, one should show the valid proof of purchase.
- Other product related materials (such as Packaging box, Product Manual etc.) are not covered in warranty.

Oclean W1 Smart Oral Irrigatori kasutusjuhend

Düüs
Düüsi saab pöörata 360 kraadi. Düüsi vahetamisel tõmmake see vertikaalselt välja. Sisestage düüs põhja, kuni see on seadme korpusega tihedalt seotud.

Režiimi vahetamise nupp
Režiimide vahetamiseks vajutage lühidalt.

Režiimi märgutuli
1. taseme käsitsi purunemine
2. taseme käsitsi purunemine
3. taseme automaatne purskamine (Automaatse purske käivitamiseks vajutage lühidalt toitenuppu; toetage Ocleani rakenduses purskeplaanide kohandamist)

Veepaak
Veepaagi saab eemaldada, tõmmates seda kerge jõuga alla.

Toitenupp / laadimise märgutuli
Seadme äratamiseks ooterežiimis vajutage toitenuppu, režiimi indikaator jääb viimasesse meelde jäetud režiimi. Hoides toitenuppu pideva sarivõtte jaoks, vabastage nupp peatamiseks. Vilkuv punane tuli: meeldetuletus väikese võimsusega; Vilkuv valge tuli: laadimisolek; Valge tuli põleb pidevalt: täielikult laetud.


Magnetiline laadimisport
Laadimine algab pärast seda, kui laadija on laadimisportile magnetiliselt kinnitatud.




Juhised



1 Täitke veepaak uuesti
Tõmmake veemahuti eemaldamiseks väikese jõuga alla. Täitke vesi või suuvesi veepaaki (vedeliku temperatuur ei tohiks olla üle 40 °C), seejärel pange veepaak seadmesse tagasi.



2 Düüsi paigaldamine
1. Kinnitage silikoonist kork otsiku külge.
2. Sisestage düüs seadme korpusele.



3 Režiimi lüliti
Lühike režiimilüliti sisselülitamine, parim režiim valitakse, seade jätab meelde viimase režiimi.



4 Purunemisjuhised
Pange otsik katkendlikult hammaste vahelise pilu lähedale. Puhastamise alustamiseks hoidke toitenuppu all. Liigutage aeglaselt mööda igemepiiri järgmisse tsooni, korrake puhastamist kogu pilu jaoks.

Product specifications	
Product Name	Oclean W1 Smart Oral Irrigator
Model	Oclean W1
Water tank capacity	30 ml
Waterproof level	IPX5
Input Power	2.5 W
Charging	Oclean magnetic charging
Input	5V=0.5A
Battery life*	30 days
Battery capacity	1200 mAh
Charging time	3 hours
Standard	GB 4706.1-2005 GB 4706.59-2008

* Remark: Battery life is calculated based on default mode, working once/day, 1 tank/time.



R-R-y1T-Oclean W1
R 210-141998

EAC
IPX5
RoHS



Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element		Environment Protection	
Name of parts		PBDE	PBB
PCBA			
Plastic parts			
Metal hardware			
FPC			

Toxic and harmful substance or element	
--	--

Oclean W1 Smart Oral Irrigator
Brugervejledning

Dyse
Dysen kan drejes 360 grader. Træk den lodret ud, når du udskifter dysen. Sæt dysen i bunden, indtil den er tæt knyttet til enhedens krop.

Knap til tilstandskontakt
Kort tryk for at skifte tilstand.

Tilstandsindikatorlampe
Niveau 1 manuel burst
Niveau 2 manuel burst
Niveau 3 automatisk burst
(Kort tryk på tænd / sluk-knappen for at starte automatisk burst; Understøtter tilpasning af burst-planer i Oclean App)

Vandtank
Vandtanken kan fjernes ved at trække ned med en lille kraft.


Tænd / sluk-knap / opladningsindikatorlampe
Tryk på tænd / sluk-knappen for at vække enheden, mens den er i standby-tilstand, tilstandsindikatoren forbliver i den seneste huskede tilstand. Hold tænd / sluk-knappen nede for en kontinuerlig serie, og slip derefter knappen for at stoppe. Blinkende rødt lys: Påmindelse om lav effekt; Blinkende hvidt lys: Opladningsstatus; Hvidt lys lyser konstant: Fuldt opladet.

Magnetisk opladningsport
Opladning starter, efter at opladeren er fastgjort magnetisk til opladningsporten.


Instruktioner



1 Genopfyld vandtanken
Træk vandtanken ned med lidt kraft for at løsne den. Fyld vand eller mundskyl i vandtanken (Væsketemperaturen bør ikke være over 40 C), og sæt derefter vandtanken tilbage i enheden.



2 Installation af dysse
1. Fastgør silikonehætten til dysen.
2. Sæt dysen i enhedens hus.



3 Mode switch
Kort tryk på tilstandskontakten, vælg den bedste pasformstilstand, enheden husker den nyeste tilstand.



4 Sprængvejledninger
Sæt dysen med mellemrum tæt på spalten mellem tænderne. Tryk og hold tænd / sluk-knappen nede for at starte rengøringen. Flyt langsomt langs tandkødslinjen til den næste zone, gentag rengøringen for alle spalter.

Product specifications table with 2 columns: Specification, Value. Rows include Product Name, Model, Water tank capacity, Waterproof level, Input Power, Charging, Input, Battery life*, Battery capacity, Charging time, and Standard.

* Remark: Battery life is calculated based on default mode, working once/day, 1 tank/time.

Download on the Google Play and App Store buttons.



Follow the Oclean Official Facebook Page. Includes Facebook logo and link to www.facebook.com/ocleanglobal.



R-R-y1T-Oclean W1



EAC, IPX5, RoHS



- This indicates that the content of toxic and hazardous substances in all homogeneous materials of this component is less than the limited quantity as specified in GB/T 26572-2011.
- ✕ This indicates that the content of toxic and hazardous substances in at least one of the homogeneous materials of this component is more than the limited quantity as specified in GB/T 26572-2011.
- * Except for very few materials, due to technical development reasons, most of the materials used are environmentally friendly. Please use this product with confidence during the environmental protection period.

Remarks

Table with 3 columns: Name of parts, Toxic and harmful substance or element, Environment Protection. Rows include Vibrating motor, Accessories, and Battery.

Table with 3 columns: Name of parts, Toxic and harmful substance or element, Environment Protection. Rows include PCBA, Plastic parts, Metal hardware, and FPC.

Garantikort

- 1. Disse klausuler gælder kun for produkter fra Oclean, der sælges i det land eller den region, hvor købet foretages, hvis den nationale politik er uoverensstemmende eller uldiadt med den nationale politik.
- 2. For ydelsesproblemer forårsaget af selve produktet kan man benytte service i henhold til nedenstående regler med gyldigt købsbevis:
2.1 En kunde kan benytte garantiservice gratis inden for 24 måneder fra købsdatoen, hvis der er en ydeevnefejl forårsaget af selve produktet.
3. For at benytte udskrifts- og garantiservice skal man vise det gyldige købsbevis.
4. Andre produktrelaterede materialer (såsom emballageboks, produktmanual osv.) Er ikke dækket af garantien.

Form for warranty card with fields for Product model, Serial Number, Name, Tel, Email, Adresse, Købsdato, Faktura nummer, and Problem Beskrivelse.



Oclean W1 Smart Oral Irrigator
-käyttöopas

Suutin
Suutinta voidaan kääntää 360 astetta. Kun vaihdat suutinta, vedä se pystysuoraan. Aseta suutin pohjaan, kunnes se on tiukasti kiinni laitteen rungossa.

Tilainvaltopainike
Lyhyt painallus vaihtaaksesi tilaa.

Tilan merkkivalo
Tason 1 manuaalinen sarjakuvaus
Tason 2 manuaalinen sarjakuvaus
Automaattinen tason 3 purske
(Käynnistä automaattinen sarjakuvaus painamalla virtapainiketta lyhyesti; tuki sarjakuvaussuunnitelmien mukauttamista Oclean-sovelluksessa)

Vesisäiliö
Vesisäiliö voidaan poistaa vetämällä alas pienellä voimalla.


Virtapainike / latauksen merkkivalo
Paina virtapainiketta herättääksesi laitteen valmiustilassa, tilan ilmaisin pysyy viimeisimmässä muistitilassa. Pidä virtapainiketta painettuna jatkuvaa sarjakuvaa varten, vapauta painike pysäyttääksesi. Punainen valo vilkkuu: Pienitehoinen muistutus; Valkoinen valo vilkkuu: Lataustila; Valkoinen valo palaa jatkuvasti: Täyteen ladattu.

Magneettinen latausportti
Lataus alkaa, kun laturi on kiinnitetty magneettisesti latausporttiin.


Ohjeet



1 Täytä vesisäiliö
Irrota vesisäiliö pienellä voimalla alaspäin. Täytä vesi tai suuvesi vesisäiliöön (nesteen lämpötilan ei tulisi olla yli 40 C), aseta sitten vesisäiliö takaisin laitteeseen.



2 Suuttimen asennus
1. Kiinnitä silikonisuojaus suuttimeen.
2. Aseta suutin laitteen runkoon.



3 Tilakytkin
Lyhyt painallus toimintakytkimellä, valitaan parhaiten sopiva tila, laite tallentaa uusimman tilan.



4 Räjähdysohjeet
Aseta suutin ajoittain lähelle hampaiden välistä rakoa. Aloita puhdistus pitämällä virtapainiketta painettuna. Siirry hitaasti kumilinjaa pitkin seuraavaan vyöhykkeeseen, toista puhdistus kaikille rakoille.

• Product specifications

Product Name	Oclean W1 Smart Oral Irrigator
Model	Oclean W1
Water tank capacity	30 ml
Waterproof level	IPX5
Input Power	2.5 W
Charging	Oclean magnetic charging
Input	5V=0.5A
Battery life*	30 days
Battery capacity	1200 mAh
Charging time	3 hours
Standard	GB 4706.1-2005 GB 4706.59-2008

* Remark: Battery life is calculated based on default mode, working once/day, 1 tank/time.

GET IT ON
Google Play

Download on the
App Store



Follow the Oclean Official Facebook Page

Oclean Facebook Page

www.facebook.com/ocleanglobal

CE

FC

PS E

R-R-y1T-Oclean W1

R 210-141998

EAC
IPX5
RoHS



Name of parts	Toxic and harmful substance or element						Environment Protection				
	Pb	Hg	Cd	Cr6+	PBB	PBDE					
PCBA	○	○	○	○	○	○	10 years				
Plastic parts	○	○	○	○	○	○					
Metal hardware	○	○	○	○	○	○					
FPC	○	○	○	○	○	○	5 years				
Name of parts							Toxic and harmful substance or element	Environment Protection			
	Vibrating motor						○	○	○	10 years	
	Accessories						×	○	○		○
	Battery						○	○	○	○	5 years

Remarks

- This indicates that the content of toxic and hazardous substances in all homogeneous materials of this component is less than the limited quantity as specified in GB/T 26572-2011.
- X This indicates that the content of toxic and hazardous substances in at least one of the homogeneous materials of this component is more than the limited quantity as specified in GB/T 26572-2011.
- * Except for very few materials, due to technical development reasons, most of the materials used are environmentally friendly. Please use this product with confidence during the environmental protection period.

Tuotemalli:	Serial Number:	
	Nimi:	
	Tel:	
	Email:	
Käyttäjän tiedot		
Osoite:		
Ostopäivä:		
Laskun numero:		
Ongelman kuvaus:		



Takuukortti

1. Näitä lausekkeita sovelletaan vain Oclean-tuotteisiin, joita myydään ostomaassa tai -alueella, jos kansallisen politiikan kanssa on ristiriitaisuuksia tai puutteita, kansallisen politiikan on oltava etusijalla.
2. Tuotteen itsensä aiheuttamiin suorituskyöngelmiin voidaan käyttää alla olevien sääntöjen mukaista palvelua, jolla on voimassa oleva ostotodistus:
- 2.1 Asiakas voi käyttää takuupalvelua ilmaiseksi 24 kuukauden kuluessa ostopäivästä, jos itse tuotteesta havaitaan toimintahäiriö.
3. Vaihto- ja takuupalveluiden käyttämiseksi sinun on esitettävä voimassa oleva ostotodistus.
4. Takuu ei kata muita tuotteisiin liittyviä materiaaleja (kuten pakkauslaatikko, tuotekäsikirja jne.).

Oclean W1 Smart Oral Irrigator
Lietotāja rokasgrāmata

Uzgalis
Sprauslu var pagriezt par 360 grādiem. Nomainot sprauslu, izvelciet to vertikāli. Ievietojiet sprauslu apakšā, līdz tā ir cieši piestiprināta ierīces korpusam.

Režīma pārslēgšanas poga
Iši nospiediet, lai pārslēgtos režīmus.

Režīma indikators
1. Iļmeņa manuālā pārsprāgt
2. Iļmeņa manuālā pārsprāgt
3. Iļmeņa automātiskā pārsprāgt (Išlaicīgi nospiežot ieslēgšanas / izslēgšanas pogu, lai sāktu automātisko sērījveidu; Atbalstiet sērījas plānu pielāgošanu Oclean lietotnē)

Ūdens tvertne
Ūdens tvertni var noņemt, ar nelielu spēku veicot uz leju.

Barošanas poga / uzlādes indikators
Nospiediet barošanas pogu, lai modinātu ierīci gaidīšanas režīmā, režīma indikators paliek jaunākajā iegaumētajā režīmā.
Turot ieslēgšanas / izslēgšanas pogu nepārtrauktai sērījai, atlaidiet pogu, lai apstātos.
Mirgo sarkanā gaisma: atgādinājums par mazu ūdau; Mirgo balta gaisma: uzlādes statuss; Balta gaisma pastāvīgi deg: pilnībā uzlādēta.

Magnētiskā uzlādes pieslēgvietā
Uzlāde sākas pēc tam, kad lādētājs ir magnētiski piestiprināts pie uzlādes porta.

- Product specifications

Product Name	Oclean W1 Smart Oral Irrigator
Model	Oclean W1
Water tank capacity	30 ml
Waterproof level	IPX5
Input Power	2.5 W
Charging	Oclean magnetic charging
Input	5V=0.5A
Battery life*	30 days
Battery capacity	1200 mAh
Charging time	3 hours
Standard	GB 4706.1-2005 GB 4706.59-2008

* Remark: Battery life is calculated based on default mode, working once/day, 1 tank/time.

GET IT ON
Google Play

Download on the
App Store

| Oclean

| Q

f


Follow the Oclean Official Facebook Page

Oclean Facebook Page
www.facebook.com/ocleanglobal


Instrukcijas



1 Uzpildiet ūdens tvertni
Ar nelielu spēku pavelciet ūdens tvertni, lai to atvienotu. Piepildiet ūdeni vai mutes skalojamo ūdeni tvertnē (šķidruma temperatūrai nevajadzētu pārsniegt 40 C), pēc tam ievietojiet ūdens tvertni atpakaļ ierīcē.



2 Sprauslas uzstādīšana
1. Piestipriniet silikona vāciņu pie sprauslas.
2. Ievietojiet sprauslu ierīces korpusā.



3 Režīma slēdzis
Iši nospiežot režīma slēdzi, izvēloties piemērotāko režīmu, ierīce iegaumēs jaunāko režīmu.



4 Sprādziena instrukcijas
Ievietojiet sprauslu periodiski tuvu spraugai starp zobiem. Nospiediet un turiet ieslēgšanas / izslēgšanas pogu, lai sāktu tīrīšanu. Lēnām pārvietojiet pa smaganu līniju uz nākamo zonu, atkārtojiet visu spraugu tīrīšanu.

CE

FC

PS E

R-R-y1T-Oclean W1

R 210-141998

EAC

IPX5

RoHS

10

Recycling symbol

No incineration symbol



Name of parts	Toxic and harmful substance or element						Environment Protection	Toxic and harmful substance or element						Environment Protection
	Pb	Hg	Cd	Cr6+	PBB	PBDE		Pb	Hg	Cd	Cr6+	PBB	PBDE	
PCBA	○	○	○	○	○	○	10 years	○	○	○	○	○	○	10 years
Plastic parts	○	○	○	○	○	○		×	○	○	○	○	○	
Metal hardware	○	○	○	○	○	○		○	○	○	○	○	○	
FPC	○	○	○	○	○	○	○	○	○	○	○	○		

Remarks

- This indicates that the content of toxic and hazardous substances in all homogeneous materials of this component is less than the limited quantity as specified in GB/T 26572-2011.
- × This indicates that the content of toxic and hazardous substances in at least one of the homogeneous materials of this component is more than the limited quantity as specified in GB/T 26572-2011.
- * Except for very few materials, due to technical development reasons, most of the materials used are environmentally friendly. Please use this product with confidence during the environmental protection period.

Garantijas karte

- Šis klauzulas attiecas tikai uz Oclean izstrādājumiem, kas tiek pārdoti valstī vai reģionā, kurā pirkums tiek veikts, ja ir kāda neatbilstība vai izlaidums valsts politikai, noteicošā ir valsts politika.
- Attiecībā uz veikspējas problēmām, ko izraisa pats produkts, var izmantot pakalpojumu, kas atbilst zemāk esošajiem noteikumiem, ar deīgu pirkuma apliecinājumu:
- 2.1. Klients var bez maksas izmantot garantijas servisu 24 mēnešu laikā no pirkuma datuma, ja paša produkta deīj rodas darbības traucējumi.
3. Lai izmantotu nomaīņas un garantijas pakalpojumus, jāuzrāda deīrgs pirkuma apliecinājums.
4. Garantija neattiecas uz cītiem ar produktu saīstītiem materiāliem (piemēram, iepakojuma kārba, Produkta rokasgrāmata utt.).



Produkta modelis:		Sērijas numurs:	
Informācija par lietotāju		Nosaukums:	
		Tel.:	
		Email:	
		Adrese:	
		Iegādes datums:	
		Rēķina numurs:	
Problēmas apraksts:			

Oclean W1 Smart Oral Irrigator
vartotojo vadovas

Antgalis
Purkštuką galima pasukti 360 laipsnių kampu. Keičiant purkštuką, ištraukite jį vertikaliai. Įstatykite purkštuką į apačią, kol jis bus glaudžiai pritvirtintas prie prietaiso korpuso.

Režimo jungiklio mygtukas
Trumpai paspauskite, kad perjungtumėte režimus.

Režimo indikatoriaus lemputė
1 lygio rankinis sprogimas
2 lygio rankinis sprogimas
3 lygio automatinis sprogimas
(Jei norite pradėti automatinį seriją, trumpai paspauskite maitinimo mygtuką; palaikykite serijos planų pritaikymą „Oclean“ programoje)

Vandens rezervuaras
Vandens baką galima išimti, šiek tiek jėga traukiant žemyn.




Maitinimo mygtukas / įkrovimo indikatoriaus lemputė
Paspauskite maitinimo mygtuką, kad pažadintumėte įrenginį, kai jis veikia budėjimo režimu, režimo indikatorius lieka paskutiniame atmintyje.
Laikydami maitinimo mygtuką, norėdami nuolat fotografuoti, atleiskite mygtuką, kad sustotumėte.
Mirksi raudona lemputė: priminimas apie mažą galą.
Mirksi baltą šviesą: įkrovimo būseną.
Baltą šviesą nuolat dega: visiškai įkrauta.

Magnetinis įkrovimo prievadas
Įkrovimas prasideda po to, kai įkroviklis magnetiškai pritvirtinamas prie įkrovimo prievado.


Nurodymai



1 Užpildykite vandens rezervuarą
Nedaug jėgų patraukite vandens rezervuarą, kad jį nuimtumėte. Į vandens rezervuarą pripilkite vandens arba burnos skalavimo skysčio (skysčio temperatūra neturi viršyti 40 °C), tada įkiškite vandens rezervuarą atgal į prietaisą.



2 Antgalio montavimas
1. Pritvirtinkite silikono dangtelį prie antgalio.
2. Įkiškite purkštuką į prietaiso korpusą.



3 Režimo jungiklis
Trumpai paspaudus režimo jungiklį, pasirinktas geriausiai tinkantis režimas, prietaisas įsims naujausią režimą.



4 Sprogimo instrukcijos
Purkštuką su pertraukomis uždėkite tarp plyšio tarp dantų. Norėdami pradėti valyti, palaikykite paspaudę maitinimo mygtuką.
Lėtai judėkite dantenų liniją į kitą zoną, pakartokite valymą visiems plyšiams.

Product specifications	
Product Name	Oclean W1 Smart Oral Irrigator
Model	Oclean W1
Water tank capacity	30 ml
Waterproof level	IPX5
Input Power	2.5 W
Charging	Oclean magnetic charging
Input	5V=0.5A
Battery life*	30 days
Battery capacity	1200 mAh
Charging time	3 hours
Standard	GB 4706.1-2005 GB 4706.59-2008

* Remark: Battery life is calculated based on default mode, working once/day, 1 tank/time.



Remarks

○ This indicates that the content of toxic and hazardous substances in all homogeneous materials of this component is less than the limited quantity as specified in GB/T 26572-2011.

× This indicates that the content of toxic and hazardous substances in at least one of the homogeneous materials of this component is more than the limited quantity as specified in GB/T 26572-2011.

* Except for very few materials, due to technical development reasons, most of the materials used are environmentally friendly. Please use this product with confidence during the environmental protection period.

Toxic and harmful substance or element	Environment Protection					
	PBDE	PBB	Cr6+	Cd	Hg	Pb
Name of parts						
Vibrating motor	○	○	○	○	○	○
Accessories	○	○	○	○	○	×
Battery	○	○	○	○	○	○

Name of parts	Toxic and harmful substance or element					
	PBDE	PBB	Cr6+	Cd	Hg	Pb
PCBA	○	○	○	○	○	○
Plastic parts	○	○	○	○	○	○
Metal hardware	○	○	○	○	○	○
FPC	○	○	○	○	○	○



Produkto modelis:	Serijinis numeris:	
	Vardas:	
Vartotojo informacija	Tel:	
	Email:	
	Adresas:	
	Pirkimo data:	
Problemos aprašymas:	Sąskaitos numeris:	

Garantijos kortelė

- Šios sąlygos taikomos tik „Oclean“ gaminiams, parduodamiems šalyje ar regione, kuriame perkama, jei yra neatitikinų su nacionaline politika, pirmenybė teikiama nacionalinei politikai.
- Norėdami išspręsti problemas, susijusias su pačiu produktu, galite pasinaudoti garantiniu aptarnavimu pagal žemiau pateiktas taisykles su galiojančiu pirkimo dokumentu:
- 2.1 Klientas gali nemokamai naudotis garantiniu aptarnavimu 24 mėnesius nuo pirkimo datos, jei įvyko produkto gedimas.
3. Norint pasinaudoti pakeltimo ir garantinėmis paslaugomis, reikia pateikti galiojantį pirkimo dokumentą.
4. Garantija netaikoma kitoms su produktu susijusioms medžiagoms (tokioms kaip pakavimo dėžutė, gaminto vadovas ir kt.).

Oclean W1 Smart Oral Irrigator Brukerhåndbok

Munnstykke
Dysen kan dreies 360 grader. Når du bytter ut dysen, trekk den ut loddrett. Sett dysen i bunnen til den er tett festet til enhetens kropp.

Modusbryter-knapp
Trykk kort for å bytte modus.

Modusindikatorlampe
Nivå 1 manuell burst
Nivå 2 manuell burst
Nivå 3 automatisk burst
(Trykk kort på av / på-knappen for å starte automatisk burst; Støttetilpasning for burst-planer i Oclean App)

Vanntank
Vanntanken kan fjernes ved å trekke den ned med en liten kraft.


Strømknapp / indikatorlampe for lading
Trykk på av / på-knappen for å vekke enheten mens den er i standby-modus. Modusindikatoren forblir i den siste lagrede modusen. Hold av / på-knappen i kontinuerlig serie, og slipp knappen for å stoppe. Blinkende rødt lys: Påminnelse om lav effekt; Blinkende hvitt lys: Ladestatus; Hvitt lys lyser kontinuerlig: Fulladet.

Magnetisk ladeport
Ladingen starter etter at laderen er magnetisk festet til ladeporten.


Bruksanvisning



1 Fyll på vanntanken
Trekk vanntanken ned med litt kraft for å løse den. Fyll vann eller munnavn i vanntanken (væsketemperaturen bør ikke være over 40 C), og sett deretter vanntanken tilbake i enheten.



2 Montering av dyse
1. Fest silikonheten på dysen.
2. Sett dysen inn i enhetens kropp.



3 Modusbryter
Trykk kort på modusbryteren, velg modusen som passer best, enheten vil huske den siste modusen.



4 Bristeinstruksjoner
Sett dysen av og til nær spalten mellom tennene. Trykk og hold inne strømknappen for å starte rengjøringen. Beveg sakte langs tannkjøttlinjen til neste sone, gjenta rengjøringen for alle spalter.

Product specifications	
Product Name	Oclean W1 Smart Oral Irrigator
Model	Oclean W1
Water tank capacity	30 ml
Waterproof level	IPX5
Input Power	2.5 W
Charging	Oclean magnetic charging
Input	5V=0.5A
Battery life*	30 days
Battery capacity	1200 mAh
Charging time	3 hours
Standard	GB 4706.1-2005 GB 4706.59-2008

* Remark: Battery life is calculated based on default mode, working once/day, 1 tank/time.

GET IT ON
Google Play

Download on the
App Store

Oclean

Q

Follow the Oclean Official Facebook Page

Oclean Facebook Page
www.facebook.com/ocleanglobal

CE

FC

PS E

R-R-y1T-Oclean W1

R 210-141998

EAC

IPX5

RoHS

10

Recycling symbol

No fire symbol



Remarks

○ This indicates that the content of toxic and hazardous substances in all homogeneous materials of this component is less than the limited quantity as specified in GB/T 26572-2011.

X This indicates that the content of toxic and hazardous substances in at least one of the homogeneous materials of this component is more than the limited quantity as specified in GB/T 26572-2011.

* Except for very few materials, due to technical development reasons, most of the materials used are environmentally friendly. Please use this product with confidence during the environmental protection period.

Toxic and harmful substance or element	Environment Protection				
	PBDE	PBB	Cr6+	Cd	Hg
Pb	○	○	○	○	○
Vibrating motor	○	○	○	○	○
Accessories	○	○	○	○	○
Battery	○	○	○	○	○

Name of parts	Toxic and harmful substance or element				
	Pb	Hg	Cd	Cr6+	PBB
PCBA	○	○	○	○	○
Plastic parts	○	○	○	○	○
Metal hardware	○	○	○	○	○
FPC	○	○	○	○	○

Garantikort

- Disse klausulene gjelder bare for Oclean-produkter som selges i landet eller regionen der kjøpet er gjort, hvis det er uoverensstemmelse eller unnlatelse av den nasjonale politikk, skal den nasjonale politikk ha forrang.
- For ytelsesproblemer forårsaket av selve produktet, kan man benytte seg av tjenesten i henhold til nedestående forskrifter med gyldig kjøpsbevis: 2.1 En kunde kan benytte garantiservice gratis innen 24 måneder fra kjøpsdatoen hvis det er en ytelsesfeil forårsaket av selve produktet.
- For å benytte erstatningstjenester og garantitjenester, bør man vise gyldig kjøpsbevis.
- Andre produktrelaterte materialer (som emballasjeboks, produktmanual osv.) Dekkes ikke av garantien.

Product model:	Serial Number:	
	Navn:	
Brukerinformasjon	Tel:	
	Email:	
	Adresse:	
	Kjøpsdato:	
Problem beskrivelse:	Fakturanummer:	



Oclean W1 Smart Oral Irrigator
Användarmanual

Munstycke
Munstycket kan roteras 360 grader. Dra ut det vertikalt när du byter ut munstycket. För in munstycket till botten tills det sitter ordentligt fast på enhetens kropp.

Lägesbrytarknapp
Kort tryck för att växla läge.

Lägesindikatorlampa
Nivå 1 manuell burst
Nivå 2 manuell burst
Nivå 3 automatisk burst
(Kort tryck på strömbrytaren för att starta automatisk burst; Stödanpassning för burst-planer i Oclean App)

Vattentank
Vattentanken kan tas bort genom att dra ner den med en liten kraft.

Strömknapp / laddningsindikator-lampa
Tryck på strömbrytaren för att väcka enheten i vänteläge, lägesindikatorn förblir i det senaste memorerade läget. Håll strömbrytaren intryckt i en kontinuerlig serie och släpp knappen för att stoppa. Blinkande rött ljus: Påminnelse om låg effekt; Blinkande vitt ljus: Laddningsstatus; Vitt ljus tänds kontinuerligt: Fulladdat.

Magnetisk laddningsport
Laddningen startar efter att laddaren är magnetiskt ansluten till laddningsporten.



• Product specifications

Product Name	Oclean W1 Smart Oral Irrigator
Model	Oclean W1
Water tank capacity	30 ml
Waterproof level	IPX5
Input Power	2.5 W
Charging	Oclean magnetic charging
Input	5V=0.5A
Battery life*	30 days
Battery capacity	1200 mAh
Charging time	3 hours
Standard	GB 4706.1-2005 GB 4706.59-2008

* Remark: Battery life is calculated based on default mode, working once/day, 1 tank/time.

GET IT ON
Google Play


Download on the
App Store

Oclean

Follow the Oclean Official Facebook Page

Oclean Facebook Page
www.facebook.com/ocleanglobal


Instruktioner



1 Fyll på vattentanken
Dra ner vattentanken med lite kraft för att lossa den. Fyll vatten eller munvatten i vattentanken (vätsketemperaturen bör inte vara över 40 °C) och sätt sedan tillbaka vattentanken i enheten.



2 Montering av munstycke
1. Fäst silikonlocket på munstycket.
2. Sätt in munstycket i enhetens kropp.



3 Lägesändring
Tryck kort på lägesomkopplaren, välj bästa passning-släge, enheten kommer att memorera det senaste läget.



4 Bristningsinstruktioner
Sätt munstycket periodvis nära slitsen mellan tänderna. Håll strömbrytaren intryckt för att börja rengöra. Rör dig långsamt längs tandköttslinjen till nästa zon, upprepa rengöringen för alla slitsar.



Remarks

○ This indicates that the content of toxic and hazardous substances in all homogeneous materials of this component is less than the limited quantity as specified in GB/T 26572-2011.

✕ This indicates that the content of toxic and hazardous substances in at least one of the homogeneous materials of this component is more than the limited quantity as specified in GB/T 26572-2011.

* Except for very few materials, due to technical development reasons, most of the materials used are environmentally friendly. Please use this product with confidence during the environmental protection period.

Name of parts	Toxic and harmful substance or element						Environment Protection
	Pb	Hg	Cd	Cr6+	PBB	PBDE	
PCBA	○	○	○	○	○	○	10 years
Plastic parts	○	○	○	○	○	○	
Metal hardware	○	○	○	○	○	○	
FPC	○	○	○	○	○	○	
Vibrating motor		○	○	○	○	○	10 years
Accessories		○	○	○	○	○	
Battery		○	○	○	○	○	5 years



Produktmodell:	Serienummer:	
	Namn:	
	Tel.:	
	Email:	
	Adress:	
Användarinformation	Inköpsdatum:	
	Fakturanummer:	
Problembeskrivning:		

Garantikort

1. Dessa klausuler gäller endast Oclean-produkter som säljs i det land eller den region där köpet görs, om det föreligger någon inkonsekvens med eller utelämnande av den nationella politiken, ska den nationella politiken ha företräde.

2. För prestandafrågor orsakade av själva produkten kan man använda tjänsten enligt nedanstående regler med giltigt inköpsbevis:

2.1 En kund kan utnyttja garantiservice gratis inom 24 månader från inköpsdatum om prestandafel orsakas av själva produkten.

3. För att kuma använda ersättnings- och garantitjänster, bör man visa giltigt inköpsbevis.

4. Andra produktrelaterade material (som förpackningsbox, produktmanual etc.) täcks inte av garantin.